IEE Proceedings Part C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, United Kingdom

Volume 132 1985 UK ISSN 0143–7046

HONORARY EDITORS

Dr. M.C. Ralph, *NEI Parsons Ltd*
Prof. J.R. Smith, *University of Aberdeen*

Pages in issues of *IEE Proceedings Part C*, 1985

Pages	Issue No.	Date
1–56	1	January
57–100	2	March
101–160	3	May
161–228	4	July
229–268	5	September
269–320	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/85 $2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling change of 50p per page, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871; telex: 261176 IEELON G; facsimile: 01 240 7735

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1985: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Senior Assistant Editor*: Stephen Cokeham; *Assistant Editor*: Richard Dymond
Graphics Manager: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts., United Kingdom
Printed by: Unwin Brothers Ltd., Old Woking, Surrey, United Kingdom

IEE Proceedings Part C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom.
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ, United Kingdom

Volume 132 1985 UK ISSN 0143–7046

HONORARY EDITORS

Dr. M.C. Ralph, *NEI Parsons Ltd*
Prof. J.R. Smith, *University of Aberdeen*

Pages in issues of *IEE Proceedings Part C*, 1985

Pages	Issue No.	Date
1–56	1	January
57–100	2	March
101–160	3	May
161–228	4	July
229–268	5	September
269–320	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $2.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/85 $2.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling change of 50p per page, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871; telex: 261176 IEELON G; facsimile: 01 240 7735

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1985: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty
Managing Editor: Bernard Dunkley; *Senior Assistant Editor*: Stephen Cokeham; *Assistant Editor*: Richard Dymond
Graphics Manager: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Santype International Ltd., Salisbury, Wilts., United Kingdom
Printed by: Unwin Brothers Ltd., Old Woking, Surrey, United Kingdom

Index

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata
- s synopsis of a paper published in full in another Part of the IEE Proceedings

IEE Proceedings Part C
Generation, Transmission and Distribution
Vol. 132, 1985

Author index

A

Abur, A., and Keyhani, A. see Keyhani, A.
Allan, R.N., Leite da Silva, A.M., Soares, S.M., and Arienti, V.L. see Leite da Silva, A.M.
Allan, R.N., and Corredor Avella, P. Reliability and economic assessment of generating systems containing wind energy sources p8
Amin, R.M., Jasmon, G.B., and Chuan, C.Y. see Jasmon, G.B.
Anderson, R.B. Lightning performance criteria for electric power systems p298
Andersson, D. Current instability and chopping with arcs in series p224
Arienti, V.L., Leite da Silva, A.M., Allan, R.N., and Soares, S.M. see Leite da Silva, A.M.

B

Balda, J.C., and Harley, R.G. see Harley, R.G.
Bhadra, S.N. A note on some computational aspects of the jump-resonance problem in 3-phase systems p248
Bohley, E.P., and DeVore, R.V. see DeVore, R.V.
Boyd, I., Gupta, D.P.Sen, Narahari, N.G., and Hogg, B.W. see Gupta, D.P.Sen
Boys, J.T., Elder, J.M., and Woodward, J.L. see Elder, J.M.
Brucoli, M., Torelli, F., and Trovato, M. A decentralised control strategy for dynamic shunt VAr compensation in interconnected power systems p229

C

Chandrashekhar, K.S. Online correction dispatch algorithm for dynamic security p20
Chuan, C.Y., Jasmon, G.B., and Amin, R.M. see Jasmon, G.B.
Clewer, B.C., Irving, M.R., and Sterling, M.J.H. Robust state estimation in power systems using sparse linear programming p123
Conlon, M., and Wilcox, D.J. see Wilcox, D.J.
Corredor Avella, P., and Allan, R.N. see Allan, R.N.

D

Danai, B., and Lavers, J.D. see Lavers, J.D.
David, A.K. Incorporation of large stochastic sources in the power system p161
Davies, A.E., Uriola Sereno, J.J., and German, D.M. Modelling of saturated reactor compensator for system studies p307
de Lima, F.N., and Naidu, S.R. see Naidu, S.R.
DeVore, R.V., and Bohley, E.P. RF power injected into the DC yard by an HVDC convertor pole p36

E

Elangovan, S., and Lim, C.M. see Lim, C.M.
Elder, J.M., Boys, J.T., and Woodward, J.L. Integral cycle control of stand-alone generators p57

F

Freris, L.L., and Tsitsovits, A.J. see Tsitsovits, A.J.
Funabiki, S., and Himei, T. Design procedure of firing angles for harmonic reduction in a thyristor-controlled reactor by asymmetrical firing control p257

G

Galanos, G.G., Vovos, N., and Giannakopoulos, G. Combined control and protection system for improved performance of HVDC links in the presence of AC faults d93
German, D.M., Davies, A.E., and Uriola Sereno, J.J. see Davies, A.E.
Ghosh, A., Ledwich, G., Hope, G.S., and Malik, O.P. Power system stabiliser for large disturbances p14
Giannakopoulos, G., Galanos, G.G., and Vovos, N. see Galanos, G.G.
Gibbon, R.R., and Price, C.F. see Price, C.F.
Gupta, D.P.Sen, Narahari, N.G., Boyd, I., and Hogg, B.W. An adaptive power-system stabiliser which cancels the negative damping torque of a synchronous generator p109

H

Harley, R.G., and Balda, J.C. Subsynchronous resonance damping by specially controlling a parallel HVDC link p154
Himei, T., and Funabiki, S. see Funabiki, S.
Hiyama, T. Optimisation of discrete-type load-frequency regulators considering generation-rate constraints d265
Ho, K.K.K., Wong, K.P., Humpage, W.D., and Nguyen, T.T. see Wong, K.P.
Hogg, B.W., Gupta, D.P.Sen, Narahari, N.G., and Boyd, I. see Gupta, D.P.Sen
Hope, G.S., Ghosh, A., Ledwich, G., and Malik, O.P. see Ghosh, A.
Hope, G.S., Kumar, A., and Malik, O.P. see Kumar, A.
Hubbi, W. The mismatch theorem and second-order load-flow algorithms p189
Humpage, W.D., Wong, K.P., Nguyen, T.T., and Ho, K.K.K. see Wong, K.P.
Humpage, W.D., Wong, K.P., Nguyen, T.T., and McLoughlin, J.M. Phase-variable modelling of saturated reactor compensators with particular reference to long-distance transmission p237
Humpage, W.D., Wong, K.P., and Nguyen, T.T. Operating unbalance in long-distance transmission p67

I

Irving, M.R., Clewer, B.C., and Sterling, M.J.H. see Clewer, B.C.
Irving, M.R., Rafian, M., and Sterling, M.J.H. see Rafian, M.

J

Jasmon, G.B., Amin, R.M., and Chuan, C.Y. Performance comparison of two exact outage simulation techniques p285
Johns, A.T. Microprocessor-based algorithm for high-resistance earth-fault distance protection d94

K

Keyhani, A., and Abur, A. Comparative study of polar and Cartesian co-ordinate algorithms for power-system state-estimation problems p132
Kinoshita, H., Yokoyama, S., and Yamamoto, K. see Yokoyama, S.
Kong, T.C., Rao, P.V., and Sastry, V.V. see Rao, P.V.
Kumar, A., Malik, O.P., and Hope, G.S. Variable-structure-system control applied to AGC of an interconnected power system p23

L

Laughton, M.A., Saleh, A.O.M., and Stone, G.T. see Saleh, A.O.M.
Laughton, M.A., and Saleh, A.O.M. see Saleh, A.O.M.
Lavers, J.D., and Danai, B. Statistical analysis of electric-arc-furnace parameter variations p82
Ledwich, G., Ghosh, A., Hope, G.S., and Malik, O.P. see Ghosh, A.
Ledwich, G., and O'Brien, M. see O'Brien, M.
Leite da Silva, A.M., Allan, R.N., Soares, S.M., and Arienti, V.L. Probabilistic load flow considering network outages p139
Lim, C.M., and Elangovan, S. Design of stabilisers in multimachine power systems p146
Littler, G.E. The production of residual currents due to harmonic loading p195

M

Macdonald, D.C., Reece, A.B.J., and Turner, P.J. Turbine-generator steady-state reactances p101
Malik, O.P., Ghosh, A., Ledwich, G., and Hope, G.S. see Ghosh, A.
Malik, O.P., Kumar, A., and Hope, G.S. see Kumar, A.
McLoughlin, J.M., Humpage, W.D., Wong, K.P., and Nguyen, T.T. see Humpage, W.D.
Morrison, I.F., and Yang, Q.S. see Yang, Q.S.

N

Naidu, S.R., and de Lima, F.N. A frequency-dependent transmission line model for electromagnetic transient studies p294
Narahari, N.G., Gupta, D.P.Sen, Boyd, I., and Hogg, B.W. see Gupta, D.P.Sen
Nguyen, T.T., Humpage, W.D., Wong, K.P., and McLoughlin, J.M. see Humpage, W.D.
Nguyen, T.T., Humpage, W.D., and Wong, K.P. see Humpage, W.D.
Nguyen, T.T., Wong, K.P., Humpage, W.D., and Ho, K.K.K. see Wong, K.P.

O

O'Brien, M., and Ledwich, G. Placement of static compensators for stability improvement p30

P

Panda, M., and Prusty, S. see Prusty, S.
Papadopoulos, D.P., and Paraskevopoulos, P.N. Decoupling techniques applied to the design of a controller for an unregulated synchronous machine p277
Paraskevopoulos, P.N., and Papadopoulos, D.P. see Papadopoulos, D.P.
Price, C.F., and Gibbon, R.R. Statistical approach to thermal rating of overhead lines for power transmission and distribution d95
Prusty, S., and Panda, M. Predetermination of lateral length to prevent overvoltage problems due to open conductors in three-phase systems p49

R

Rafian, M., Sterling, M.J.H., and Irving, M.R. Decomposed load-flow algorithm suitable for parallel processor implementation p281
Rao, P.V., Kong, T.C., and Sastry, V.V. A new algorithm for a nonlinear multicriteria decision-making problem p118
Reece, A.B.J., Macdonald, D.C., and Turner, P.J. see Macdonald, D.C.

S

Saleh, A.O.M., Laughton, M.A., and Stone, G.T. *M*- to *N*-phase transformer models in phase co-ordinates p41
Saleh, A.O.M., and Laughton, M.A. Cluster analysis of power-system networks for array processing solutions p172
Sastry, V.V., Rao, P.V., and Kong, T.C. see Rao, P.V.
Savic, M.S. Sensitivity analysis of lightning performance calculations for transmission lines and substations p217
Shroff, D.H., and Stannett, A.W. A review of paper aging in power transformers p312
Soares, S.M., Leite da Silva, A.M., Allan, R.N., and Arienti, V.L. see Leite da Silva, A.M.
Sood, V.K. Combined control and protection system for improved performance of HVDC links in the presence of AC faults d93
Stannett, A.W., and Shroff, D.H. see Shroff, D.H.
Sterling, M.J.H., Clewer, B.C., and Irving, M.R. see Clewer, B.C.
Sterling, M.J.H., Rafian, M., and Irving, M.R. see Rafian, M.
Stone, G.T., Saleh, A.O.M., and Laughton, M.A. see Saleh, A.O.M.

T

Taalab, A.I., and Yacamini, R. see Yacamini, R.
Torelli, F., Brucoli, M., and Trovato, M. see Brucoli, M.
Townsend, B.S. Distribution: the years of change p1
Trovato, M., Brucoli, M., and Torelli, F. see Brucoli, M.
Tsitsovits, A.J., and Freris, L.L. A statistical method for optimising wind power contribution in a diesel supplied network p269
Turner, P.J., Macdonald, D.C., and Reece, A.B.J. see Macdonald, D.C.

U

Uriola Sereno, J.J., Davies, A.E., and German, D.M. see Davies, A.E.

V

Vovos, N., Galanos, G.G., and Giannakopoulos, G. see Galanos, G.G.

W

Warren, R.H.J., and Williams, A. see Williams, A.
Wilcox, D.J., and Conlon, M. Induction from underground power circuits into parallel communication services p76
Williams, A., and Warren, R.H.J. Method of using data from computer simulations to test protection equipment e29
Wong, K.P., Humpage, W.D., Nguyen, T.T., and Ho, K.K.K. Dynamic load model synthesis p179
Wong, K.P., Humpage, W.D., Nguyen, T.T., and McLoughlin, J.M. see Humpage, W.D.
Wong, K.P., Humpage, W.D., and Nguyen, T.T. see Humpage, W.D.
Woodward, J.L., Elder, J.M., and Boys, J.T. see Elder, J.M.

Y

Yacamini, R., and Taalab, A.I. Effect of AC system impedance on the regulation and, hence, the stability margin of HVDC schemes p202
Yamamoto, K., Yokoyama, S., and Kinoshita, H. see Yokoyama, S.
Yang, Q.S., and Morrison, I.F. Microprocessor-based algorithm for high-resistance earth-fault distance protection d94
Yokoyama, S., Yamamoto, K., and Kinoshita, H. Analogue simulation of lightning induced voltages and its application for analysis of overhead-ground-wire effects p208
Yung, E.K.-N. An innovative analysis of earthing grids for power substations p251

Addresses

Townsend, B.S. Address as Chairman of the IEE Power Division: Distribution: the years of change p1

Contributors to discussions published in *IEE Proceedings Part C*

Austin, K.A., **97**
Bradbury, J., **95**
Jackson, R.L., **96**
Myles, A., **96**
Orawski, G., **96**

Subject index

ALGORITHMS

A new algorithm for a nonlinear multicriteria decision-making problem. P.V. Rao, T.C. Kong and V.V. Sastry p118
Comparative study of polar and Cartesian co-ordinate algorithms for power-system state-estimation problems. A. Keyhani and A. Abur p132
The mismatch theorem and second-order load-flow algorithms. W. Hubbi p189

ARCING

Statistical analysis of electric-arc-furnace parameter variations. J.D. Lavers and B. Danai p82

CABLES AND OVERHEAD LINES

Sensitivity analysis of lightning performance calculations for transmission lines and substations. M.S. Savic p217

COMPUTER APPLICATIONS

A note on some computational aspects of the jump-resonance problem in 3-phase systems. S.N. Bhadra p248
Cluster analysis of power-system networks for array processing solutions. A.O.M. Saleh and M.A. Laughton p172
Decomposed load-flow algorithm suitable for parallel processor implementation. M. Rafian, M.J.H. Sterling and M.R. Irving p281
Incorporation of large stochastic sources in the power system. A.K. David p161
The mismatch theorem and second-order load-flow algorithms. W. Hubbi p189

COMPUTER SIMULATION

Method of using data from computer simulations to test protection equipment. A. Williams and R.H.J. Warren e29
Phase-variable modelling of saturated reactor compensators with particular reference to long-distance transmission. W.D. Humpage, K.P. Wong, T.T. Nguyen and J.M. McLoughlin p237

CONDUCTORS AND CONDUCTIVITY

Predetermination of lateral length to prevent overvoltage problems due to open conductors in three-phase systems. S. Prusty and M. Panda p49

CONTROL EQUIPMENT AND APPLICATIONS

A decentralised control strategy for dynamic shunt VAr compensation in interconnected power systems. M. Brucoli, F. Torelli and M. Trovato p229
Variable-structure-system control applied to AGC of an interconnected power system. A. Kumar, O.P. Malik and G.S. Hope p23

CONTROL SYSTEMS

Combined control and protection system for improved performance of HVDC links in the presence of AC faults. G.G. Galanos, N. Vovos and G. Giannakopoulos d93
Decoupling techniques applied to the design of a controller for an unregulated synchronous machine. D.P. Papadopoulos and P.N. Paraskevopoulos p277
Integral cycle control of stand-alone generators. J.M. Elder, J.T. Boys and J.L. Woodward p57
Power system stabiliser for large disturbances. A. Ghosh, G. Ledwich, G.S. Hope and O.P. Malik p14

CONTROL THEORY

Power system stabiliser for large disturbances. A. Ghosh, G. Ledwich, G.S. Hope and O.P. Malik p14

CONVERTORS

Combined control and protection system for improved performance of HVDC links in the presence of AC faults. G.G. Galanos, N. Vovos and G. Giannakopoulos d93
RF power injected into the DC yard by an HVDC convertor pole. R.V. DeVore and E.P. Bohley p36

DISCHARGES, ELECTRIC

Statistical analysis of electric-arc-furnace parameter variations. J.D. Lavers and B. Danai p82

EARTHING

An innovative analysis of earthing grids for power substations. E.K.-N. Yung p251
Microprocessor-based algorithm for high-resistance earth-fault distance protection. Q.S. Yang and I.F. Morrison d94

ENERGY CONVERSION AND STORAGE

Incorporation of large stochastic sources in the power system. A.K. David p161
Reliability and economic assessment of generating systems containing wind energy sources. R.N. Allan and P. Corredor Avella p8

FAULT LOCATION

Combined control and protection system for improved performance of HVDC links in the presence of AC faults. G.G. Galanos, N. Vovos and G. Giannakopoulos d93

GENERATORS

Integral cycle control of stand-alone generators. J.M. Elder, J.T. Boys and J.L. Woodward p57
Turbine-generator steady-state reactances. D.C. Macdonald, A.B.J. Reece and P.J. Turner p101

INDUSTRIAL APPLICATIONS OF POWER

Distribution: the years of change. B.S. Townsend p1
Statistical analysis of electric-arc-furnace parameter variations. J.D. Lavers and B. Danai p82

LIGHTNING AND LIGHTNING PROTECTION

Analogue simulation of lightning induced voltages and its application for analysis of overhead-ground-wire effects. S. Yokoyama, K. Yamamoto and H. Kinoshita p208
Lightning performance criteria for electric power systems. R.B. Anderson p298
Sensitivity analysis of lightning performance calculations for transmission lines and substations. M.S. Savic p217

LOAD AND VOLTAGE REGULATION

Dynamic load model synthesis. K.P. Wong, W.D. Humpage, T.T. Nguyen and K.K.K. Ho p179
Effect of AC system impedance on the regulation and, hence, the stability margin of HVDC schemes. R. Yacamini and A.I. Taalab p202
Optimisation of discrete-type load-frequency regulators considering generation-rate constraints. T. Hiyama d265
The mismatch theorem and second-order load-flow algorithms. W. Hubbi p189

MATHEMATICAL TECHNIQUES

A note on some computational aspects of the jump-resonance problem in 3-phase systems. S.N. Bhadra p248
Current instability and chopping with arcs in series. D. Andersson p224
Decomposed load-flow algorithm suitable for parallel processor implementation. M. Rafian, M.J.H. Sterling and M.R. Irving p281
Decoupling techniques applied to the design of a controller for an unregulated synchronous machine. D.P. Papadopoulos and P.N. Paraskevopoulos p277
Modelling of saturated reactor compensator for system studies. A.E. Davies, J.J. Uriola Sereno and D.M. German p307
Online correction dispatch algorithm for dynamic security. K.S. Chandrashekhar p20
Performance comparison of two exact outage simulation techniques. G.B. Jasmon, R.M. Amin and C.Y. Chuan p285
Probabilistic load flow considering network outages. A.M. Leite da Silva, R.N. Allan, S.M. Soares and V.L. Arienti p139
Robust state estimation in power systems using sparse linear programming. B.C. Clewer, M.R. Irving and M.J.H. Sterling p123
Variable-structure-system control applied to AGC of an interconnected power system. A. Kumar, O.P. Malik and G.S. Hope p23

NETWORKS

Robust state estimation in power systems using sparse linear programming. B.C. Clewer, M.R. Irving and M.J.H. Sterling p123

NOISE AND INTERFERENCE

RF power injected into the DC yard by an HVDC convertor pole. R.V. DeVore and E.P. Bohley p36

NONLINEAR SYSTEMS

The production of residual currents due to harmonic loading. G.E. Littler p195

OPTIMISATION

A new algorithm for a nonlinear multicriteria decision-making problem. P.V. Rao, T.C. Kong and V.V. Sastry p118

OVERHEAD LINES

Analogue simulation of lightning induced voltages and its application for analysis of overhead-ground-wire effects. S. Yokoyama, K. Yamamoto and H. Kinoshita p208
Lightning performance criteria for electric power systems. R.B. Anderson p298
Statistical approach to thermal rating of overhead lines for power transmission and distribution. C.F. Price and R.R. Gibbon d95

OVERVOLTAGES

Induction from underground power circuits into parallel communication services. D.J. Wilcox and M. Conlon p76
Sensitivity analysis of lightning performance calculations for transmission lines and substations. M.S. Savic p217

POWER SYSTEM PROTECTION

A decentralised control strategy for dynamic shunt VAr compensation in interconnected power systems. M. Brucoli, F. Torelli and M. Trovato p229
An innovative analysis of earthing grids for power substations. E.K.-N. Yung p251
Comparative study of polar and Cartesian co-ordinate algorithms for power-system state-estimation problems. A. Keyhani and A. Abur p132
Induction from underground power circuits into parallel communication services. D.J. Wilcox and M. Conlon p76
Lightning performance criteria for electric power systems. R.B. Anderson p298
Method of using data from computer simulations to test protection equipment. A. Williams and R.H.J. Warren e29
Microprocessor-based algorithm for high-resistance earth-fault distance protection. Q.S. Yang and I.F. Morrison d94
Modelling of saturated reactor compensator for system studies. A.E. Davies, J.J. Uriola Sereno and D.M. German p307
Optimisation of discrete-type load-frequency regulators considering generation-rate constraints. T. Hiyama d265
Probabilistic load flow considering network outages. A.M. Leite da Silva, R.N. Allan, S.M. Soares and V.L. Arienti p139
Sensitivity analysis of lightning performance calculations for transmission lines and substations. M.S. Savic p217

POWER SYSTEMS AND PLANT

A decentralised control strategy for dynamic shunt VAr compensation in interconnected power systems. M. Brucoli, F. Torelli and M. Trovato p229
A note on some computational aspects of the jump-resonance problem in 3-phase systems. S.N. Bhadra p248
A statistical method for optimising wind power contribution in a diesel supplied network. A.J. Tsitsovits and L.L. Freris p269
An innovative analysis of earthing grids for power substations. E.K.-N. Yung p251
Cluster analysis of power-system networks for array processing solutions. A.O.M. Saleh and M.A. Laughton p172
Comparative study of polar and Cartesian co-ordinate algorithms for power-system state-estimation problems. A. Keyhani and A. Abur p132
Decomposed load-flow algorithm suitable for parallel processor implementation. M. Rafian, M.J.H. Sterling and M.R. Irving p281
Decoupling techniques applied to the design of a controller for an unregulated synchronous machine. D.P. Papadopoulos and P.N. Paraskevopoulos p277
Design of stabilisers in multimachine power systems. C.M. Lim and S. Elangovan p146
Design procedure of firing angles for harmonic reduction in a thyristor-controlled reactor by asymmetrical firing control. S. Funabiki and T. Himei p257
Effect of AC system impedance on the regulation and, hence, the stability margin of HVDC schemes. R. Yacamini and A.I. Taalab p202
Incorporation of large stochastic sources in the power system. A.K. David p161
Modelling of saturated reactor compensator for system studies. A.E. Davies, J.J. Uriola Sereno and D.M. German p307
Online correction dispatch algorithm for dynamic security. K.S. Chandrashekhar p20
Optimisation of discrete-type load-frequency regulators considering generation-rate constraints. T. Hiyama d265
Performance comparison of two exact outage simulation techniques. G.B. Jasmon, R.M. Amin and C.Y. Chuan p285
Placement of static compensators for stability improvement. M. O'Brien and G. Ledwich p30
Power system stabiliser for large disturbances. A. Ghosh, G. Ledwich, G.S. Hope and O.P. Malik p14
Reliability and economic assessment of generating systems containing wind energy sources. R.N. Allan and P. Corredor Avella p8
Robust state estimation in power systems using sparse linear programming. B.C. Clewer, M.R. Irving and M.J.H. Sterling p123
Subsynchronous resonance damping by specially controlling a parallel HVDC link. R.G. Harley and J.C. Balda p154
The mismatch theorem and second-order load-flow algorithms. W. Hubbi p189
The production of residual currents due to harmonic loading. G.E. Littler p195
Variable-structure-system control applied to AGC of an interconnected power system. A. Kumar, O.P. Malik and G.S. Hope p23

POWER TRANSMISSION AND DISTRIBUTION

Distribution: the years of change. B.S. Townsend p1
Dynamic load model synthesis. K.P. Wong, W.D. Humpage, T.T. Nguyen and K.K.K. Ho p179
M- to *N*-phase transformer models in phase co-ordinates. A.O.M. Saleh, M.A. Laughton and G.T. Stone p41
Operating unbalance in long-distance transmission. W.D. Humpage, K.P. Wong and T.T. Nguyen p67
Phase-variable modelling of saturated reactor compensators with particular reference to long-distance transmission. W.D. Humpage, K.P. Wong, T.T. Nguyen and J.M. McLoughlin p237
Placement of static compensators for stability improvement. M. O'Brien and G. Ledwich p30
Predetermination of lateral length to prevent overvoltage problems due to open conductors in three-phase systems. S. Prusty and M. Panda p49
Probabilistic load flow considering network outages. A.M. Leite da Silva, R.N. Allan, S.M. Soares and V.L. Arienti p139
RF power injected into the DC yard by an HVDC convertor pole. R.V. DeVore and E.P. Bohley p36
Statistical approach to thermal rating of overhead lines for power transmission and distribution. C.F. Price and R.R. Gibbon d95

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Statistical analysis of electric-arc-furnace parameter variations. J.D. Lavers and B. Danai p82

RELAYS

Method of using data from computer simulations to test protection equipment. A. Williams and R.H.J. Warren e29

RELIABILITY

Reliability and economic assessment of generating systems containing wind energy sources. R.N. Allan and P. Corredor Avella p8

SIMULATION

Analogue simulation of lightning induced voltages and its application for analysis of overhead-ground-wire effects. S. Yokoyama, K. Yamamoto and H. Kinoshita p208

STABILISERS

An adaptive power-system stabiliser which cancels the negative damping torque of a synchronous generator. D.P.Sen Gupta, N.G. Narahari, I. Boyd and B.W. Hogg p109
Design of stabilisers in multimachine power systems. C.M. Lim and S. Elangovan p146

STABILITY

Effect of AC system impedance on the regulation and, hence, the stability margin of HVDC schemes. R. Yacamini and A.I. Taalab p202

STANDARDISATION AND STANDARDS

Distribution: the years of change. B.S. Townsend p1

SYNCHRONOUS GENERATORS

An adaptive power-system stabiliser which cancels the negative damping torque of a synchronous generator. D.P.Sen Gupta, N.G. Narahari, I. Boyd and B.W. Hogg p109
Turbine-generator steady-state reactances. D.C. Macdonald, A.B.J. Reece and P.J. Turner p101

TRANSFORMERS

A new algorithm for a nonlinear multicriteria decision-making problem. P.V. Rao, T.C. Kong and V.V. Sastry p118
A review of paper aging in power transformers. D.H. Shroff and A.W. Stannett p312
M- to *N*-phase transformer models in phase co-ordinates. A.O.M. Saleh, M.A. Laughton and G.T. Stone p41
Probabilistic load flow considering network outages. A.M. Leite da Silva, R.N. Allan, S.M. Soares and V.L. Arienti p139

TRANSIENTS

A frequency-dependent transmission line model for electromagnetic transient studies. S.R. Naidu and F.N. de Lima p294

TRANSMISSION AND DISTRIBUTION PLANT

An innovative analysis of earthing grids for power substations. E.K.-N. Yung p251
Current instability and chopping with arcs in series. D. Andersson p224
Design procedure of firing angles for harmonic reduction in a thyristor-controlled reactor by asymmetrical firing control. S. Funabiki and T. Himei p257
Distribution: the years of change. B.S. Townsend p1
M- to *N*-phase transformer models in phase co-ordinates. A.O.M. Saleh, M.A. Laughton and G.T. Stone p41
Operating unbalance in long-distance transmission. W.D. Humpage, K.P. Wong and T.T. Nguyen p67
Phase-variable modelling of saturated reactor compensators with particular reference to long-distance transmission. W.D. Humpage, K.P. Wong, T.T. Nguyen and J.M. McLoughlin p237
Predetermination of lateral length to prevent overvoltage problems due to open conductors in three-phase systems. S. Prusty and M. Panda p49
RF power injected into the DC yard by an HVDC convertor pole. R.V. DeVore and E.P. Bohley p36

TRANSMISSION LINES

A frequency-dependent transmission line model for electromagnetic transient studies. S.R. Naidu and F.N. de Lima p294
Operating unbalance in long-distance transmission. W.D. Humpage, K.P. Wong and T.T. Nguyen p67

TURBOGENERATORS

Turbine-generator steady-state reactances. D.C. Macdonald, A.B.J. Reece and P.J. Turner p101

UNDERGROUND CABLES

Induction from underground power circuits into parallel communication services. D.J. Wilcox and M. Conlon p76

VOLTAGE REGULATORS

An adaptive power-system stabiliser which cancels the negative damping torque of a synchronous generator. D.P.Sen Gupta, N.G. Narahari, I. Boyd and B.W. Hogg p109

WIND POWER

A statistical method for optimising wind power contribution in a diesel supplied network. A.J. Tsitsovits and L.L. Freris p269

Conference reports

Discussion meeting on polymeric cables 25/44 kV and above. A. Ross p98

Book reviews

Reliability evaluation of power systems. R. Billington and R.N. Allan p55